GUNDERSON CONSTRUCTION CO. 3021 COUNTY CX PORTAGE, WISCONSIN 53901



FULL SERVICE DESIGN BUILD CONTRACTING SINCE 1946

| Rolling Hills Country Es | TATES Lot # |
|---|---|
| Guidelines to Meeting Developer Approval | Revision 4/11/06 |
| Minimum Site Plan RequirementsLocation of proposed curb cutProposed elevation of all yards after constructionProposed height of home relative to benchmarkLocation of landscape areas shown on planIntermediate driveway elevations or percent grade | Plan drawn to scale including a recognizable benchmark Location of exposed basement or knee walls with proposed elevation Home (and decks) shown in relation to all setbacks and easements Proposed driveway elevations at road and garage relative to benchmark Location of retaining walls shown on plan |
| Minimum Framing Requirements 2x6 stud walls with 12" energy heel | 2x8 sub fascia |
| Minimum Aesthetic Requirements 5:12 roof pitch 24" eave, 12" rake 2x8 fascia Concrete driveway | 150 SF brick, stone, or cultured stone on front elevation 24" corner wrap of all brick, stone, or cultured stone Window lineals or fypon moldings on front elevation Architectural grade shingle (Example- Certainteed Landmark 30) |
| Optional Aesthetic Requirements - Pick 9 of the All of roof 6:12 or greater Garage door fypon moldings 2x10 subfasia and fascia Multi-reveal fascia (2x8 minimum) Bird-box eaves at gable ends Window grids on front elevation Gable fypon moldings Decorative accent band below soffit (2x6 minimum) Transom windows on front elevation Gable eyebrow on visible elevation of home | e 20 listed Portion of roof slope greater than or equal to 8:12 Combination of both hip and gable roof shapes Overhead garage doors with decorative windows 200 SF of brick or stone with some portion reaching the eave Window lineals, shutters, or fypon moldings on three elevations Decorative belt board at exposed basement or kneewall EIFS (stucco work) accents on front elevation Decorative porch with upgraded rail-work and columns Two siding colors. (Colors & placement must be presented to developer) Provide developer with engineered site plan with 1-foot contours |
| Home Owner Date | |
| Builder Date | Developer Date |

Nothing in this checklist shall relieve the builder from complying with all applicable laws and codes.

Directions for use:

- Prepare detailed construction plans.
- Fill out checklist according to plans.
- Submit to plans and checklist to developer for approval.
- Communicate all changes with developer in a written manner during construction.

By signing and submitting the above checklist and respective plans to the developer, the owner and builder agree to perform the actual construction in a manner consistent with the submitted information. The owner and builder further agree to notify the developer of any proposed changes and or deviations in the scope of the work prior to commencing on the proposed change. All communications initiated by the owner or builder shall be written and reviewed at the developer's convenience. The owner shall allow adequate time for this process.